



Characteristics	24 V DC Ref. 9016344	230 V AC Ref. 9016345
Supply voltage	24 V DC SELV	230 V AC
Stand-by current	< 5 mA @ 24 V DC	< 1 mA @ 230 V AC
Stand-by power	< 110 mW @ 24 V DC	< 50 mW @ 230 V AC
Max. power peak (heating)	< 4 W @ 24 V DC	< 4 W @ 230 V AC
Dry contact	Min. 1 mA @ 30 V DC or 230 V AC Max. 2 A @ 30 V DC or 230 V AC	Min. 1 mA @ 30 V DC or 230 V AC Max. 2 A @ 30 V DC or 230 V AC
Operating temperature	-20° C to 60° C	-20° C to 60° C
Relative humidity	85 %	85 %
Wiring recommendations	3 x 1.5 mm	3 x 1.5 mm
Material of housing	PC/ABS	PC/ABS
Dimensions (w x h x d)	115 x 100 x 85 mm	115 x 100 x 85 mm
Degree of protection	IP 44	IP 44
Protection class	II	II
Weight	400 g	400 g
Conformity	www.somfy.com/ce	www.somfy.com/ce



Drawing Title
**LBD Rain Sensor
 Electrical Drawing**

Drawing #
 -

Created by Matt H	Approved by Damien McL
Date 8.10.2021	Rev. 0
<small>Copyright is reserved by LOUVRES BY DESIGN and the drawing is issued on the conditions that it is not copied either wholly or in part without the consent in writing of LOUVRES BY DESIGN. Figured dimensions to take preference over those scaled. All dimensions to be checked on site before commencement of any work or shop drawings. This drawing is to be read in conjunction with the specification when existing.</small>	